

ORDINANCE NO. 450

AN ORDINANCE AMENDING ARTICLE VII, SECTION 700.3(C) OF THE
TAYLORSVILLE-SPENCER COUNTY ZONING REGULATIONS REGARDING
CONDITIONAL USES ALLOWED IN THE I-1, INDUSTRIAL ZONE
PERTAINING TO CRAFT DISTILLERY, CLASS B (ONLY)

WHEREAS, a public hearing was held before the Taylorsville-Spencer County
Joint Planning and Zoning Commission on the 5th day of September, 2024 after appropriate
legal notice and,

WHEREAS, pursuant to KRS 100.211 and Article I, Section 101.2 of the regulations, the
Taylorsville-Spencer County Joint Planning and Zoning Commission took the following action
which was to recommend the proposed amendment to Article VII, Section 700.3(C) of the
Taylorsville-Spencer County Zoning Regulations and,

WHEREAS, the City of Taylorsville held a hearing on the 26 day of November,
2024 , after appropriate legal notice, in regard to the proposed amendment
and,

THEREFORE, BE IT ORDAINED by the City of Taylorsville that Article VII, Section
700.3(C) of the 2014 Taylorsville-Spencer County Zoning Regulations are amended to read as
follows:

Article VII

Sect. 700.3(C) Craft Distillery, Class B (only)

Conditions may be imposed that will limit the adverse effect on adjacent
surrounding properties and place conditions upon its operation that will
allow it to be an asset to its immediate surroundings as well as to prevent
any conflicts with the rural nature of the location with said distilleries. The
intent of this conditional use is to allow craft distilleries supporting
permitted eating and drinking establishments, event facilities, or similar
uses. This facility would produce distilled spirits of 50,000 gallons or less
per calendar year on site. Such facility may include a tasting room or retail

space to sell merchandise, and alcoholic products only manufactured on site. These distilleries may be referred to as micro, artisan, or boutique distilleries. Prior to the approval of a conditional use permit hereunder, the BOA must consider the impact of the proposed use upon surrounding properties and ensure that the character of the area is protected. Any conditional use permit issued hereunder must meet the mandatory requirements for approval set out in KRS 100.237 and the following minimum criteria:

- 1) The use and any associated use on the property shall serve alcohol by the drink only in accordance with state and local (ABC) Alcoholic Beverage Control Laws.
All processing, production, manufacturing, distilling, brewing, and/or bottling associated with such distillery shall be located within a fully enclosed buildings.
 - a) The maximum building footprint for any single structure shall not exceed 20,000 square feet, excluding stairwells and open docks.
 - b) All distillery structures shall set back a minimum of 75 feet from side yard and rear yard property lines (including but not limited to mash tun, fermenters, still or bottling facilities).
- 2) The site may contain a distilled storage facility immediately joining the distillery and shall be permanently consolidated with the adjoining distillery property.
 - a) The storage structure shall be limited to the storage of distilled spirits processed, produced, and manufactured on the property.
 - b) The maximum size of the distilled spirits storage structure shall not exceed a footprint of 20,000 square feet, excluding stairwells, and open docks.
- 3) The storage structure shall not exceed 50 feet in height and be setback 75 feet from side yard and rear yard property lines.
- 4) Outdoor storage of materials, equipment, or supplies is prohibited beyond the buffered area set forth.
- 5) Landscaping buffer requirements may vary depending on the location, size, and type of the distillery, as well as the local zoning and environmental regulations. Some general guidelines are:
 - a) The buffer should be at least 10 feet wide and planted with a mix of trees, shrubs, and groundcovers that are native or adapted to the region and provide year-round screening.
 - b) The buffer should be maintained in good condition and free of weeds, trash, and debris.
 - c) Dead or diseased plants should be replaced as soon as possible.
 - d) The buffer should not interfere with the access, visibility, or safety of the distillery or the neighboring properties. The buffer should

also not create a fire hazard or a habitat for pests or invasive species.

- e) The buffer should be designed to complement the architectural style and character of the distillery and the surrounding area. The buffer should also enhance the aesthetic appeal and environmental quality of the site.
- 6) Facility tours, visitor centers, food service operations, restaurants, and the sale of products produced ~~on-site~~ and complimentary products given directly to consumers are permitted.
 - a) Distilleries must not sell alcohol directly to consumers on the premises unless they have a separate tasting room or retail outlet that meets the requirements for such establishments.
 - b) Festivals or similar public gatherings which serve to promote the sale of locally produced products are permitted, provided no single event shall exceed fifty-six (56) continuous hours in length.
- 7) Signage: Monument type sign of 50 square feet maximum area located at the main entrance. No more than two major identification signs allowed; all other signs shall not exceed 2 square feet in size.
- 8) The Applicant must submit a roadway adequacy analysis identifying the current pavement conditions, curves, and intersections from KYTC designated arterials, or collectors to the site to the appropriate agency(ies) (i.e., Planning Commission and city, county or state road departments). The Applicant must submit evidence of agency review and determination of compliance with applicable road standards and/or identification of any improvements or other mitigation requirements. If improvements or other mitigation is required on county or state roadways, the Applicant shall complete improvements for the entirety of the route of travel using the same guidelines as outlined in Subdivision Regulations Article IV, Section 403, or as directed by authorities having jurisdiction.
- 9) The Owner must comply with fire safety, environmental, and health standards, such as installing sprinklers, ventilation, and wastewater treatment systems.
 - a) All distillery & storage facilities shall have an automatic fire sprinkler system.
 - b) Sanitary systems (ie. public sewer systems or septic systems) shall be used for restrooms and food service. Other waste/discharge from distilling processes must go through the Division of Water. No distilling waste/discharge may go into septic/sewer systems.
- 10) All facilities shall be served by public water.
- 11) Spill and runoff protection: Earthen dykes and/or containment

trenches shall surround each barreled spirit storage building to contain spills and any fire protection water run-off.

- 12) The Owner must provide evidence of annual production from the Alcohol and Tobacco Tax and Trade Bureau at the time of the annual inspection; ~~and,~~
- 13) The BOA also may impose conditions that ensure compatibility and appropriateness of the proposed use, and such conditions may include, but are not limited to, limitations on hours of operation, screening, and buffering, etc.

To become effective on the date of final adoption.


KAREN SPENCER, Mayor

ATTESTED BY:


STEVE BIVEN, City Clerk

Date of First Reading	<u>November 12, 2024</u>
Date of Second Reading	<u>January 28, 2025</u>
Date Published	<u>February 13, 2025</u>